


Push Button Switch Description 按钮开关型号说明

For example: IPS-801-1KBD-W/R


IPS	8	01	1	K	B	D	W	/R
Aibeiker Code 公司代码	Size 尺寸	Model 型号	Series 系列	Installation Method 安装方式	Function 功能	Illurnination 带灯	Housing Color 外壳颜色	Actuator color 按键颜色
IPS (IDS) (PBS)	7: 7mm 8: 8mm 12: 12mm 16: 16mm	01 02 03 04	1 2 3 4	(): Solder K: Snap In	A: ON-OFF B: OFF-(ON) 接通 C: ON-(OFF) 按断	(): Non-illuminated D: Illuminated	A Black W White R Red	A Black W White R Red G Green Y Yellow B Blue O Orange H Gray C Coffee P Purple




IDS-402 OFF-(ON)
0.5A 125VAC
COLOR: R, G, A




IPS-701 OFF-(ON)
0.5A 250VAC
COLOR: R, A




KAX-3 OFF-(ON)
0.5A 250VAC




IDS-101 OFF-(ON)
0.5A 125VAC
COLOR: R, G




PBS-110 OFF-(ON)
PBS-110C ON-(OFF)
0.5A 250VAC
COLOR: R, G, W, B, A, Y




AN4 2X2 ON-(ON)
1A 250VAC



IDS-323 OFF-(ON)
1A 250VAC
COLOR: R, G




IPS-802 OFF-(ON)
0.5A 250VAC
COLOR: R, A







IPS-801KA(D) ON-OFF
IPS-801KB(D) OFF-(ON)




IDS-450 ON-OFF
IDS-451 OFF-(ON)
1A 250VAC




IDS-314 OFF-(ON) IDS-315 ON-(OFF)
0.5A 250VAC




IDS-211KA ON-OFF
IDS-211KB OFF-(ON)
1A 250VAC




IDS-316 OFF-(ON)
0.5A 250VAC




IDS-211 ON-OFF
IDS-213 OFF-(ON)
1A 250VAC




IPS-1001-2B OFF-(ON)
COLOR: R




IDS-318 OFF-(ON)
1A 250VAC




IPS-1001-3B OFF-(ON)
COLOR: R, G




PBS-13B OFF-(ON)
PBS-13C ON-(OFF)
4A 250VAC





IPS-1001-4B OFF-(ON)
COLOR: R, G





IDS-460 ON-OFF
IDS-461 OFF-(ON)
1A 250VAC







PBS-33B OFF-(ON) IP54
1A 250VAC
WPC-PS01 Waterproof cover



PBS-11A ON-OFF
PBS-11B OFF-(ON)
1A 250VAC



IDS-227 OFF-(ON)
IDS-228 ON-OFF
1A 250VAC



PBS-12A ON-OFF
PBS-12B OFF-(ON)
1A 250VAC



IDS-227KA ON-OFF
IDS-227KB OFF-(ON)
1A 250VAC



PBS-14A ON-OFF
PBS-14B OFF-(ON)
1A 250VAC



IDS-227-3A ON-OFF
IDS-227-3B OFF-(ON)
COLOR: R, G, W, B, A, Y



PBS-27B OFF-(ON)
1A 250VAC



IDS-227-2KA ON-OFF
IDS-227-2KB OFF-(ON)
COLOR: R, G, W, B, A, Y

PBS-16A ON-OFF
PBS-16B OFF-(ON)
1A 250VAC


IDS-225 OFF-(ON)
IDS-226 ON-OFF
1A 250VAC


IDS-212B OFF-(ON)
IDS-212C ON-(OFF)
3A 250VAC




IPS-1201B OFF-(ON)
IPS-1201C ON-(OFF)
3A 250VAC




IDS-500 OFF-(ON)
IDS-501 ON-(OFF)
1A 250VAC




IPS-1201AD ON-OFF
IPS-1201BD OFF-(ON)
COLOR: R, G, W, B, A, Y




IDS-500KB OFF-(ON)
COLOR: R, G,




IPS-1202A ON-OFF
IPS-1202B OFF-(ON)
COLOR: R, G, W, B, A, Y




IDS-500-2KB OFF-(ON)
IDS-500-2KC ON-(OFF)
COLOR: R




IPS-1202AD ON-OFF
IPS-1202BD OFF-(ON)
COLOR: R, G, W, B, A, Y




IDS-500-3B OFF-(ON)
IDS-500-3C ON-(OFF)
COLOR: R




IDS-429 ON-OFF
3A 250VAC; 1A 250VAC




R13-507KB OFF-(ON)
R13-507KC ON-(OFF)
3A 250VAC
COLOR: R, G, W, B, A, Y, R2(Dark Red)



























IDS-430 ON-(OFF)
IDS-431 OFF-(ON)
3A 125VAC; 1A 250VAC




R13-507B OFF-(ON)
R13-507C ON-(OFF)
3A 250VAC
COLOR: R, G, W, B, A, Y, R2(Dark Red)




  <p>IDS-510KA ON-OFF IDS-511KB OFF-(ON) 1A 250VAC COLOR: R, B, A,</p> <p>安装尺寸</p>	  <p>PBS-18B OFF-(ON) 25mA 50VAC/50VDC</p>
  <p>IDS-510 ON-OFF IDS-511 OFF-(ON) 1A 250VAC COLOR: R, B, A,</p> <p>安装尺寸</p>	  <p>PBS-101 OFF-(ON) 6A 250VAC; 10A 125VAC</p>
  <p>R16-503A(D) ON-OFF R16-503B(D) OFF-(ON) 3A 250VAC (With LED)(R/Y:2V G/W/B:3V)</p> <p>安装孔</p>	  <p>PS18-16D-2 ON-OFF With lamp WPC-PS02 waterproof cover</p>
  <p>R16-503A(D)-K ON-OFF R16-503B(D)-K OFF-(ON) 3A 250VAC 4A 250VAC</p> <p>安装孔</p>	  <p>KD2-21D ON-ON KD2-22D ON-(ON)(With LED) KD2-23 ON-ON KD2-24 ON-(ON) 3A 250VAC; 6A 250VAC</p>
  <p>R16-504A(D) ON-OFF R16-504B(D) OFF-(ON) 3A 250VAC (With LED)</p> <p>安装孔</p>	  <p>KD4-21 ON-OFF KD4-21D ON-OFF(with lamp) KD4-22 OFF-(ON) KD4-22D OFF-(ON)(with lamp) 15A 250VAC; DPST 4P</p>
  <p>PBS-15B OFF-(ON) PBS-15C ON-(OFF) 3A 250VAC</p>	  <p>KD8-31D ON-OFF KD8-32D OFF-(ON) KD8-51 ON-OFF KD8-52 OFF-(ON) 15A 250VAC</p>




PS23-16-3A/B
PS23-16N-3A/B (With Lamp)
COLOR: R, A,




PBS-35B OFF-(ON)
3A 125VAC; 1A 250VAC




PS23-16-2A/B
PS23-16N-2A/B (With Lamp)
COLOR: R, A,




PBS-35C ON-(OFF)
3A 125VAC; 1A 250VAC




IPS-2001AD ON-OFF
IPS-2001BD OFF-(ON)
COLOR: R, G, A,




IPS-1501A ON-OFF
IPS-1501B OFF-(ON)




IDS-2001-2A ON-OFF
IDS-2001-2B OFF-(ON)
COLOR: R, G, A,




IPS-1502A ON-OFF
IPS-1502B OFF-(ON)




PBS-29B OFF-(ON)
3A 250VAC




IPS-1503A ON-OFF
IPS-1503B OFF-(ON)



























PBS-25B OFF-(ON)
PBS-25C ON-(OFF)
H=5, 10, 15 1A 250VAC




IPS-1504A ON-OFF
IPS-1504B OFF-(ON)




  <p>IPS-1505A ON-OFF IPS-1505B OFF-(ON)</p>	  <p>IPS-2201-1KD(A/B) COLOR: R, G, B</p> <p>安装尺寸</p>
  <p>IPS-1601-2A(D) IPS-1601-2B(D) COLOR: R, G, W, B, A, Y,</p> <p>安装孔</p>	  <p>IPS-2202-1KD(A/B) COLOR: R, G, B</p> <p>安装尺寸</p>
  <p>IPS-1601-2KAD ON-OFF IPS-1601-2KBD OFF-(ON) COLOR: R, G, W, B, A, Y,</p> <p>安装孔</p>	  <p>IPS-2203-1KD(A/B) COLOR: R, G, B</p> <p>安装尺寸</p>
  <p>IPS-1601-3D(A/B) COLOR: R, G, W, B, A, Y</p> <p>安装孔</p>	  <p>IPS-2204-2KD(A/B) COLOR: R, G, B</p> <p>安装尺寸</p>
  <p>IPS-1601-4D(A/B) COLOR: R, G, W, B, A, Y</p> <p>安装孔</p>	  <p>IPS-2205-1KAD ON-OFF IPS-2205-1KBD OFF-(ON) COLOR: R, G, W, B, A, Y</p> <p>安装尺寸</p>
  <p>IPS-1601-4KD(A/B) COLOR: R, G, W, B, A, Y</p> <p>安装孔</p>	  <p>IPS-2206-1KAD ON-OFF IPS-2206-1KBD OFF-(ON) COLOR: R, G, W, B, A, Y</p> <p>安装尺寸</p>




IPS-2207-2KAD ON-OFF
IPS-2207-2KBD OFF-(ON)
COLOR: R, G, W, B, A, Y




PBS-24B-2 OFF-(ON)
PBS-24C-2 ON-(OFF)
6A 250VAC 10A 125VDC




A12-O11-ZA/C
COLOR: A




PBS-24B-4 OFF-(ON)
2A 250VAC




A16-O11-ZC
COLOR: chrome/A




PBS-24-102P ON-ON 3P
PBS-24-112P ON-(ON) 3P
PBS-24-202P ON-ON 6P
PBS-24-212P ON-(ON) 6P




PBS-18 ON-OFF
2A 250VAC




PBS-24-102 ON-ON 3P
PBS-24-112 ON-(ON) 3P
PBS-24-202 ON-ON 6P
PBS-24-212 ON-(ON) 6P




IDS-612 ON-ON
IDS-613 ON-(ON)
2A 250VAC 5A 125VAC




PBS-24-302 ON-ON
PBS-24-312 ON-(ON)



























IDS-622 ON-ON
IDS-623 ON-(ON)
2A 250VAC 5A 125VAC




PBS-24-302SP ON-ON
PBS-24-312SP ON-(ON)
2A 250VAC 4A 30VDC



 <p>IDS-428 ON-(ON) 5A 250VAC</p> 	 <p>PBS-33</p> 
 <p>IDS-438 ON-(O) 16A 250VAC</p> 	 <p>PBS-31</p> 
 <p>IDS-448 ON-(ON) 16A 250VAC</p> 	 <p>PBS-32</p> 
 <p>IDS-438-2 ON-(ON) 16A 250VAC</p> 	 <p>PBS-34-2</p> 
 <p>PBS-29</p> 	 <p>PBS-39 φ24</p>  <p>PBS-40 φ24</p>
 <p>PBS-30-2</p> 	 <p>LXW20-11M</p> 

Push Button Switch Description 按钮开关型号说明

For example: A16-R11Z-2N-AR12V

A	16	-	R	11	Z	-	2	N	-	A	R	12V
Series 塑料型	Size 尺寸		Shape 形状	Poles 刀数	Function 功能		Position 档位	Illumination 带灯		Housing Color 外壳颜色	Actuator color 按键颜色	Lamp Volt 灯电压
A12			R: Round 圆形 S: Square 正方形 J: Rectangle 长方形 E: Emergency 急停 M: Mushroom 蘑菇形 X: Rotary type 旋转形 Y: Key type 钥匙形 O: Oval 椭圆形 BZ: Buzzer 蜂鸣器	11: 1 NO 1NC 20: 2NO 22: 2NO 2NC 10: 1NO	F: Momentary 复位 Z: Latching 自锁		(): Without 2: 2 Position 3: 3 Position	(): Non-illuminated N: Illuminated		A Black S Silver	A Black W White R Red G Green Y Yellow B Blue S Silver C Chrome	3V 6V 12V 24V 48V 110V 220V
A16												

 A12-R11F(-N) ON-(ON) A12-R11Z(-N) ON-ON	 A16-R11F(-N) ON-(ON) A16-R11Z(-N) ON-ON	 A16-M11F ON-(ON) A16-M11Z ON-ON	 A16-Y11Z-2 ON-ON 3P A16-Y22Z-2 ON-ON 6P A16-Y22Z-3 ON-OFF-ON 6P
 A12-S11F(-N) ON-(ON) A12-S11Z(-N) ON-ON	 A16-S11F(-N) ON-(ON) A16-S11Z(-N) ON-ON	 A16-EA11Z SPDT A16-EA22Z DPDT	 A16-BZ01 Buzzer 蜂鸣器
 A12-J11F(-N) ON-(ON) A12-J11Z(-N) ON-ON	 A16-J11F(-N) ON-(ON) A16-J11Z(-N) ON-ON	 A16-X11F-2(N) ON-(ON) 3P A16-X22Z-2(N) ON-ON 6P A16-X22Z-3(N) ON-OFF-ON 6P	 A16-EB10Z SPST A16-EB20Z DPST