



IB-PJ401
4 Gang Smart
Touch Screen Panel

Input: DC 12V
Material: Aluminum+PVC
Function selection:
Bluetooth APP/physical button
Shell color: BL



IB-PJ402
Wrangler A-Pillar

Input: DC 12-24V
Material: Aluminum+PVC
Function selection:
Physical button
Shell color: BU/BL



IB-PJ601
6 Gang Control Box
with Switch

Input: DC 12-24V
Material: Metal+ABS
Light color: BU/RD



WNF-B1502
2-Way Relay
Fuse Box(WULING)

Input: DC 12-24V
Current: 40A-80A
Fusing speed: F



WNF-B1503
3-Way Relay
Fuse Box

Input: DC 12-24V
Current: 40A-80A
Fusing speed: F



IB-PJ602
6 Gang Control Box
with Switch

Input: DC 12-24V
Material: Metal+ABS
Light color: BU/RD



IB-PJ603
6 Gang Switch Panel
with Relay Box

Input: DC 12-24V
Material: Metal+ABS
Light color: BU



IB-PJ801
8 Gang Control Box

Input: DC 12-24V
Material: Plastic
Light color: BU/RD



WNF-B1504
4-Way Relay
Fuse Box

Input: DC 12-24V
Current: 40A-80A
Fusing speed: F



WNF-B1505
5-Way Relay
Fuse Box

Input: DC 12-24V
Current: 40A-80A
Fusing speed: F



IB-PJ604
6 Gang Touch Screen
Panel

Input: DC 12-24V
Material: Metal+ABS
Light color: BU



IB-PJ802
8 Gang Touch
Screen Panel

Input: DC 12-24V
Material: Metal+ABS
Light color: BU
Size: 198*162*80mm



IB-PJ803
8 Gang Switch Box
System with App

Input: DC 12V
Material: Aluminum+PVC
Function selection:
Bluetooth APP/physical button
Shell color: BL



WNF-B1506
SR5U6 6 Gang
Switch Panel
with Relay Box

Input: DC 12-24V
Material: Metal+ABS
Light color: BU/RD



WNF-B1507
7-Way Relay
Fuse Box

Input: DC 12-24V
Current: 40A-80A
Fusing speed: F



IB-PJ804
8 Gang Switch Box
System

Input: DC 12-24V
Material: PVC
Function selection:
Physical button
Shell color: BU/BL



IB-PJ805
8 Gang Control Box
with Dual Panel

Input: DC 12-24V
Material: Metal+ABS
Light color: BU/RD



IB-PJ605
6 Gang Control Box
with Digital

Input: DC 12-24V
Voltage range: DC 9-30V
Material: Metal+ABS
Light color: BU/RD/GN/WH/OG



WNF-B1510
10-Way Relay
Fuse Box

Input: DC 12-24V
Current: 40A-80A
Fusing speed: F





IB-AT01



IB-AT02



IB-AT03



IB-AT04



IB-ATA01



IB-ATA02



IB-ATA03



IB-ATA04



IB-ATA05



IB-ATA06



IB-ATA07



IB-ATA08



IB-AP01



IB-AP02



IB-AP03



IB-AP04



IB-AP05



IB-AP06



IB-AM01



IB-AM02



IB-AM03



IB-AM04A



IB-AM04B



IB-AM05



IB-AM06



IB-AM07



IB-AM08



IB-AM09



IB-AM10



IB-AM11



IB-AM12



IB-AM13



SPECIAL VEHICLE SWITCHES & USB CHARGER

SEAT ADJUSTMENT SWITCH



IY-001
Boss key switch



IY-002
Seat adjustment switch
4/6/8 way



IY-003
Seat adjustment switch 4/6/8 way



IY-004
Seat adjustment switch
4/6/8 way



IY-005
Seat adjustment switch
4/6/8 way



IY-006
Seat adjustment switch



IY-007
Four way lumbar switch



IY-008
Three key switch



IY-009
Driver's window switch



IY-010
Front passenger
window switch



IY-011
Pneumatic four-way
lumbar support



IY-012
Pneumatic 6-point massage



IY-013
Pneumatic 8-point massage



IY-014
Pneumatic 10+4 lumbar
massage



IY-015



IY-016



·Radium


·Customizable



·Serviceable



·Various Styles



RESERVE HOLE POSITION SWITCH

| | | | |
|------------|------------|--------|---------|
| New Toyota | 32*20*52mm | Ford | 33*22mm |
| Old Toyota | 40*20*61mm | Tiida | 30*23mm |
| Nissan | 55*44*20mm | Isuzu | 38*23mm |
| Mitsubishi | 60*37*22mm | Suzuki | 40*22mm |
| Honda | 57*40*20mm | Mazda | 35*23mm |
| Volkswagen | 53*43*28mm | | |



WNS-A01
Big Toyota Switch
Input: DC12-24V
Material: ABS+Copper
Size: 40*20*61mm



WNS-A02
Dual Big Toyota Switch
Input: DC12-24V
Material: ABS+Copper
Size: 40*20*61mm



WNS-A03
Small Toyota Switch
Input: DC12-24V
Material: ABS+Copper
Size: 32*20*52mm



WNS-A04
Dual Small Toyota Switch
Input: DC12-24V
Material: ABS+Copper
Size: 32*20*52mm



WNS-A05
T45 Small Toyota Switch
Input: DC12-24V
Material: ABS+Copper
Size: 33*23mm



WNS-A06
T3 Corolla Switch
Input: DC12-24V
Material: ABS+Copper
Size: 43*25mm



WNS-A07
T5 Big Volkswagen Switch
Input: DC12-24V
Material: ABS+Copper
Size: 43*27mm



WNS-A08
T5 Small Volkswagen Switch
Input: DC12-24V
Material: ABS+Copper
Size: 40*20*61mm



WNS-A09
T43 Tiida Switch
Input: DC12-24V
Material: ABS+Copper
Size: 30*23mm



WNS-A10
T30 Ford Switch
Input: DC12-24V
Material: ABS+Copper
Size: 32*20*52mm



WNS-A11
T30 Dual Ford Switch
Input: DC12-24V
Material: ABS+Copper
Size: 39*24*58mm



WNS-A12
T10 Mitsubishi Switch
Input: DC12-24V
Material: ABS+Copper
Size: 40*21mm



WNS-A13
T15A Nissan Switch
Input: DC12-24V
Material: ABS+Copper
Size: 35*20mm



WNS-A14
T6 Big Isuzu Switch
Input: DC12-24V
Material: ABS+Copper
Size: 33*22mm



WNS-A15
T6 Small Isuzu Switch
Input: DC12-24V
Material: ABS+Copper
Size: 39*21mm



WNS-A16
Toyota Tailgate Switch
Input: DC12-24V
Material: ABS+Copper
Hole size: 100*45mm



WNS-A17
T6B Isuzu Switch
Input: DC12-24V
Material: ABS+Copper
Size: 53.2*32.6mm



WNS-A18
T6 Isuzu Switch
Input: DC12-24V
Material: ABS+Copper
Size: 53.7*33.6*22.4mm



WNS-B01
Dual Big Toyota USB
Input: DC12-24V
Output: 5V/4.2A
Material: ABS+Copper
Size: 40*20mm



WNS-B02
Big Toyota QC3.0
Input: DC12-24V
Output: 5V3.0A/9V2.0A/12V1.5A
Material: ABS+Copper
Size: 40*20*38mm



WNS-B03
Big Toyota QC3.0 +2.4A
Input: DC12-24V
Output: QC3.0+5V/2.4A
Material: ABS+Copper
Size: 40*20mm



WNS-B04
Dual Small Toyota QC3.0
Input: DC12-24V
Output: 5V3.0A/9V2.0A/12V1.5A
Material: ABS+Copper
Size: 32*20*38mm



WNS-B05
Dual Small Toyota USB
Input: DC12-24V
Output: 5V/4.2A
Material: ABS+Copper
Hole size: 32*20mm



WNS-B06
Dual Small Toyota USB
Input: DC12-24V
Output: 5V/4.2A
Material: ABS+Copper
Hole size: 32*20*70mm



WNS-B07
Small Toyota QC3.0 +2.4A
Input: DC12-24V
Output: QC3.0+5V/2.4A
Material: ABS+Copper
Size: 32*20mm



WNS-B08
Dual Small Toyota USB
Input: DC12-24V
Output: 5V/3.1A
Material: ABS+Copper
Hole size: 35*23*50mm



WNS-B09
T45 Small Toyota QC3.0
Input: DC12-24V
Output: 5V3.0A/9V2.0A/12V1.5A
Material: ABS+Copper
Size: 22*22*58mm



WNS-B10
Dual Isuzu USB
Input: DC12-24V
Output: 5V/4.2A
Material: ABS+Copper
Size: 30*22mm



WNS-B11
Dual Nissan QC3.0
Input: DC12-24V
Output: 5V3.0A/9V2.0A/12V1.5A
Material: ABS+Copper
Hole size: 28*20mm



WNS-B12
Honda QC3.0+2.4A
Input: DC12-24V
Output: QC3.0+5V/2.4A
Material: ABS+Copper
Size: 35*18mm



WNS-B13
Dual Nissan USB
Input: DC12-24V
Output: 5V/4.2A
Material: ABS+Copper
Hole size: 45*21*59mm



WNS-B14
Dual Nissan USB
Input: DC12-24V
Output: 5V/4.2A
Material: ABS+Copper
Hole size: 45*21*59mm



WNS-B15
Nissan QC3.0+2.4A
Input: DC12-24V
Output: QC3.0+5V/2.4A
Material: ABS+Copper
Size: 44*21mm



WNS-B16
Dual Honda USB
Input: DC12-24V
Output: 5V/4.2A
Material: ABS+Copper
Size: 40*20mm



WNS-B17
New Style Dual Honda USB
Input: DC12-24V
Output: 5V/4.2A
Material: ABS+Copper
Hole size: 35*18mm



WNS-B18
Isuzu QC3.0+2.4A
Input: DC12-24V
Material: ABS+Copper
Size: 42*22mm



WNS-B19
Dual Mitsubishi USB
Input: DC12-24V
Output: 5V/4.2A
Material: ABS+Copper
Size: 37*20*69mm



WNS-B20
Dual Suzuki USB
Input: DC12-24V
Output: 5V/4.2A
Material: ABS+Copper
Hole size: 44*22mm



WNS-B21
Suzuki QC3.0+2.4A
Input: DC12-24V
Output: QC3.0+5V/2.4A
Material: ABS+Copper
Hole size: 42*22mm



WNS-B22
Dual Ford USB
Input: DC12-24V
Output: 5V/4.2A
Material: ABS+Copper
Size: 38*23mm



WNS-B23
Dual Mazda USB
Input: DC12-24V
Output: 5V/4.2A
Material: ABS+Copper
Size: 35*23mm



WNS-C01
Big Toyota USB +Digital

Input: DC12-24V
Output: 5V/2.1A
Material: ABS+Copper
Size: 40*20mm



WNS-C02
Dual Big Toyota USB +Digital

Input: DC12-24V
Output: 5V/3.1A
Material: ABS+Copper
Size: 40*20mm



WNS-C03
Dual Big Toyota QC3.0+Digital

Input: DC12-24V
Output: 5V3.0A/9V2.0A/12V1.5A
Material: ABS+Copper
Size: 32*20mm



WNS-C04
Small Toyota USB +Digital

Input: DC12-24V
Output: 5V/2.1A
Material: ABS+Copper
Hole size: 32*20mm



WNS-C05
Dual Small Toyota USB +Digital

Input: DC12-24V
Output: 5V/3.1A
Material: ABS+Copper
Hole size: 32*20mm



WNS-D01
Big Toyota QC3.0 +PD

Input: DC12-24V
Material: ABS+Copper



WNS-D02
Big Toyota Dual PD

Input: DC12-24V
Material: ABS+Copper



WNS-D03
Small Toyota QC3.0 +PD

Input: DC12-24V
Material: ABS+Copper



WNS-D04
Small Toyota Dual PD

Input: DC12V
Material: ABS+Copper



WNS-D05
Honda QC3.0+PD

Input: DC12-24V
Material: ABS+Copper



WNS-C06
Small Toyota PD +QC3.0+Digital

Input: DC12-24V
Output: 5V3.4A/9V2.5A/12V2A
Material: ABS+Copper
Size: 32*20mm



WNS-C07
Big Toyota PD+QC3.0 +Digital

Input: DC12-24V
Output: 5V3.4A/9V2.5A/12V2A
Material: ABS+Copper
Size: 40*20mm



WNS-C08
Dual Small Toyota QC3.0+Digital

Input: DC12-24V
Output: 5V3.0A/9V2.0A/12V1.5A
Material: ABS+Copper
Size: 32*20mm



WNS-C09
Nissan USB+Digital

Input: DC12-24V
Output: 5V/2.1A
Material: ABS+Copper
Hole size: 45*21*59mm



WNS-C10
New Style Nissan USB+Digital

Input: DC12-24V
Output: 5V/4.8A
Material: ABS+Copper
Size: 30*21mm



WNS-D06
Honda Dual PD

Input: DC12-24V
Material: ABS+Copper



WNS-D07
Nissan QC3.0+PD

Input: DC12-24V
Material: ABS+Copper



WNS-D08
Mitsubishi Type-C +QC3.0

Input: DC12V
Material: ABS+Copper



WNS-D09
Volkswagen QC3.0

Input: DC12-24V
Material: ABS+Copper



WNS-C11
Toyota USB+Digital

Input: DC12-24V
Output: 5V/2.1A
Material: ABS+Copper
Size: 43*25mm



WNS-C12
Toyota PD+USB +Digital

Input: DC12-24V
Output: 5V3.4A/9V2.5A/12V2A
Material: ABS+Copper
Hole size: 38*18mm



WNS-C13
Dual Toyota USB +Digital

Input: DC12-24V
Output: 5V/4.8A
Material: ABS+Copper
Hole size: 38*20mm



WNS-C14
Mazda USB+Digital

Input: DC12-24V
Output: 5V/2.1A
Material: ABS+Copper
Hole size: 35*24*58mm



WNS-D10
Volkswagen Type-C +PD

Input: DC12-24V
Material: ABS+Copper



WNS-D11
Volkswagen T5 Dual USB

Input: DC12-24V
Output: 5V
Material: ABS+Copper
Size: 32*32mm



WNS-D12
Volkswagen T5 Dual USB(Concave)

Input: DC12-24V
Output: 5V
Material: ABS+Copper
Size: 32*32mm



WNS-D13
Volkswagen T5 Dual USB(Convex)

Input: DC12-24V
Output: 5V/2.1A
Material: ABS+Copper
Size: 32*32mm



WNS-C15
Isuzu USB+Digital

Input: DC12-24V
Output: 5V/2.1A
Material: ABS+Copper
Size: 35*24*58mm



WNS-C16
Mitsubishi USB+Digital

Input: DC12-24V
Output: 5V/2.1A
Material: ABS+Copper
Hole size: 37*20*69mm



WNS-C17
Suzuki USB+Digital

Input: DC12-24V
Output: 5V/2.1A
Material: ABS+Copper
Size: 42*22mm



WNS-C18
Ford USB+Digital

Input: DC12-24V
Output: 5V/2.1A
Material: ABS+Copper
Size: 38*22mm



WNS-D14
Volkswagen T4 Dual USB(Convex)

Input: DC12-24V
Output: 5V/2.1A
Material: ABS+Copper
Size: 44*26mm



WNS-D15
Wildlander QC3.0

Input: DC12-24V
Output: 5V/2.1A
Material: ABS+Copper
Size: 44*26mm



WNS-D16
Wildlander QC3.0

Input: DC12-24V
Output: 5V/2.1A
Material: ABS+Copper
Size: 44*26mm



WNS-D17
Nissan PD+QC3.0

Input: DC12-24V
Output: 5V/2.1A
Material: ABS+Copper
Size: 44*26mm

| | | | | | |
|--|--|--|--|--|---|
|  <p>WNS-E01 Big Toyota USB+Audio Input: DC12-24V Output: 5V/2.1A Material: ABS+Copper Size: 40*20mm</p> |  <p>WNS-E02 Small Toyota USB +Audio Input: DC12-24V Output: 5V/2.1A Material: ABS+Copper Hole size: 32*20mm</p> |  <p>WNS-E03 Nissan USB+Audio Input: DC12-24V Output: 5V/2.1A Material: ABS+Copper Size: 44*21mm</p> |  <p>WNS-E04 Honda USB+Audio Input: DC12-24V Output: 5V/2.1A Material: ABS+Copper Hole size: 43*25mm</p> |  <p>WNS-E05 Isuzu USB+Audio Input: DC12-24V Output: 5V/2.1A Material: ABS+Copper Hole size: 30*22mm</p> |  <p>WNS-E06 Input: DC12-24V Output: 5V/2.1A Material: ABS+Copper Size: 44*26mm</p> |
|--|--|--|--|--|---|

| | | | |
|--|---|---|---|
|  <p>WNS-F01 Big Toyota RJ45 Material: ABS+Copper Size: 40*20mm</p> |  <p>WNS-F02 Big Toyota RJ45 Material: ABS+Copper Size: 40*20*38mm</p> |  <p>WNS-F03 Small Toyota RJ45 Material: ABS+Copper Size: 32*20mm</p> |  <p>WNS-F04 Mazda RJ45 Material: ABS+Copper Size: 32*28mm</p> |
|--|---|---|---|

| | | | |
|--|--|---|---|
|  <p>WNS-F05 Small Toyota RJ45 Material: ABS+Copper Size: 32*20mm</p> |  <p>WNS-F06 Tiida RJ45 Material: ABS+Copper Size: 23*30*38mm</p> |  <p>WNS-F07 Nissan RJ45 Material: ABS+Copper Size: 44*21mm</p> |  <p>WNS-F08 Camry RJ45 Material: ABS+Copper Size: 22*22mm</p> |
|--|--|---|---|

| | | | |
|--|--|--|---|
|  <p>WNS-G01 Small Toyota USB +HDMI Input: DC12-24V Output: 5V/2.1A Material: ABS+Copper Hole size: 38*23mm</p> |  <p>WNS-G02 Toyota USB+HDMI Input: DC12-24V Output: 5V/2.1A Material: ABS+Copper Size: 32*20mm</p> |  <p>WNS-G03 Mazda USB+HDMI Input: DC12-24V Output: 5V/2.1A Material: ABS+Copper Size: 32*20mm</p> |  <p>WNS-G04 Honda AUDIO+HDMI Input: DC12V Material: ABS+Copper Hole size: 44*26mm</p> |
|--|--|--|---|

| | | | |
|---|--|--|---|
|  <p>WNS-G05 Mitsubishi USB+HDMI Input: DC12-24V Material: ABS+Copper Size: 37*20*69mm</p> |  <p>WNS-G06 Nissan AUDIO+HDMI Input: DC12V Material: ABS+Copper Hole size: 41*22mm</p> |  <p>WNS-G07 Suzuki AUDIO+HDMI Input: DC12-24V Material: ABS+Copper Size: 37*20*69mm</p> |  <p>WNS-G08 Big Toyota USB +HDMI Input: DC12-24V Output: 5V/2.1A Material: ABS+Copper Size: 32*20mm</p> |
|---|--|--|---|

| | | | |
|---|---|---|--|
|  <p>WNS-H01 Big Toyota Voltage +TEM Input: DC12-24V Output: 5V/2.1A Material: ABS+Copper Hole size: 40*20mm</p> |  <p>WNS-H02 Small Toyota Voltage +TEM Input: DC12-24V Output: 5V/2.1A Material: ABS+Copper Hole size: 32*22mm</p> |  <p>WNS-H03 Nissan Voltag +TEM Input: DC12-24V Output: 5V/2.1A Material: ABS+Copper Hole size: 32*22mm</p> |  <p>WNS-H04 Mazda Voltage+TEM Input: DC12-24V Output: 5V/2.1A Material: ABS+Copper Size: 35*23mm</p> |
|---|---|---|--|

| | | | |
|---|---|---|--|
|  <p>WNB001 Product name:50/100/200A Battery Switch Material:Plastic+Copper Screw diameter:4/6/8mm Operating current:50A Voltage:DC12-24V Function:Protect the power supply</p> |  <p>WNB002 Product name:50/100/200/300A Battery Switch Material:Plastic+Copper Screw diameter:4/6/8/10mm Operating current:100A Voltage:DC12-24V Function:Protect the power supply</p> |  <p>WNB003 Product name:275A Battery Switch Material:Plastic+Copper Terminal specifications:M10 Terminal position:2-Gang Continuous current:275A Function:Protect the power supply</p> |  <p>WNB004 Product name:200A Battery Switch Material:Plastic+Copper Screw diameter:10mm Operating current:200A Voltage:DC12-24V Function:Protect the power supply</p> |
|---|---|---|--|

| | | | |
|--|--|--|---|
|  <p>WNB005 Product name:275A Battery Switch Material:Plastic+Copper Terminal specifications:M10 Terminal position:2-Gang Continuous current:275A Function:Protect the power supply</p> |  <p>WNB006 Product name:500A Battery Switch Material:Plastic+Copper Screw diameter:10mm Terminal position:2-Gang Continuous current:500A Function:Protect the power supply</p> |  <p>WNB007 Product name:DC 48V Battery Switch Material:Plastic+Copper Screw size:2*12mm MAX Voltage:DC 48V Size:102*102*90mm Function:Protect the power supply</p> |  <p>WNB008 Product name:250A Battery Switch Temperature:-40°C~+60°C Continuous current:250A Function:Protect the power supply</p> |
|--|--|--|---|

| | | | |
|--|--|---|--|
|  <p>WNB009 Product name:300A Battery Switch Material:ABS+metal Size:60*45mm Operating current:300A Voltage:DC 12-24V Function:Protect the power supply</p> |  <p>WNB010 Product name:300A Battery Switch Size:93. 2*66. 8mm Screw diameter: 10mm Operating current:250A Voltage:DC 12-24V Function:Protect the power supply</p> |  <p>WNB011 Product name:250A Battery Switch Material:Plastic+Copper Screw size:10mm Operating current:250A Voltage:DC 12V Function:Protect the power supply</p> |  <p>WNB012A Product name:300A Battery Switch Material:Plastic+Copper Screw size:10mm Operating current:300A Voltage:DC 32V Function:Protect the power supply</p> |
|--|--|---|--|

| | | | |
|--|---|---|--|
|  <p>WNB012B Product name:300A Battery Switch Material:Plastic+Copper Screw size:10mm Operating current:300A Voltage:DC 32V Function:Protect the power supply</p> |  <p>WNB012 Product name:4-5Speed Battery Switch Material: Plastic Size:140*140*85mm Weight:600g Continuous current:175A Function:Protect the power supply</p> |  <p>WNB014 Product name:140A Battery Switch Size: 68*68*52mm Screw diameter: 6mm Operating current:140A Voltage:DC 12-24V Function:Protect the power supply</p> |  <p>WNB015 Product name:140A Battery Switch Size: 66. 5*66. 5*52. 2mm Screw diameter: 6mm Operating current:140A Voltage:DC 12-24V Function:Protect the power supply</p> |
|--|---|---|--|

FUSE BLOCK

Ensure that when the current passing through the circuit is too high, there will be a fusing phenomenon and the entire circuit will be disconnected. This can effectively protect the circuit when the current is too high, avoiding the risk of the entire circuit catching fire.



IN-LINE FUSE HOLDER



WNF-B0102



WNF-B0104



WNF-B0105



WNF-B0106



WNF-B0108



WNF-B0110



WNF-B0112



WNF-B0204



WNF-B0206



WNF-B0208



WNF-B0210



WNF-B0212



WNF-B0306



WNF-B0308



WNF-B0310



WNF-B0312



WNF-B0406



WNF-B0408



WNF-B0410



WNF-B0412



WNF-B0804A



WNF-B0808A



WNF-B0804B



WNF-B0910



WNF-B0406S



WNF-B0408S



WNF-B0410S



WNF-B0412S



WNF-B1004



WNF-B1006



WNF-B1008



WNF-B1010



WNF-B0506



AWNFB0512



AWNFB0506B



WNF-B0512B



WNF-B1012



WNF-B1104



WNF-B1106



WNF-B1108



WNF-B0606



WNF-B0612



WNF-B0706



WNF-B0712



WNF-B1204



WNF-B1206



WNF-B1208



WNF-B1204S



WNF-B1206S



WNF-B1208S




WNF-B1204D



WNF-B1206D



WNF-B1210D



WNF-B1306A



WNF-B1306B



WNF-B1304



WNF-B1306



WNF-B1308



WNF-B1310



WNF-B1312



WNF-B1404



WNF-B1406



WNF-B1408



WNF-B1410



WNF-A301
ATS/0297/BFMN(Small)



WNF-A302
ATS/0297/BFMN(Small)



WNF-A303
ATS/0297/BFMN(Small)



WNF-A304
ATS/0297/BFMN(Small)



WNF-A401
ATC/0287(Medium)



WNF-A402
ATC/0287(Medium)



WNF-A403
ATC/0287(Medium)



WNF-A404
ATC/0287(Medium)



WNF-A405
ATC/0287(Medium)



WNF-A406
ATC/0287(Medium)



WNF-A407
ATC/0287(Medium)



WNF-A408
ATC/0287(Medium)



WNF-A409
ATC/0287(Medium)



WNF-A410
ATC/0287(Medium)



WNF-A411B
ATC/0287(Medium)



WNF-A411W
ATC/0287(Medium)



WNF-A412
ATC/0287/ATS/AB20/
Small)(Medium)



WNF-A501
ATM/0299(Max)



WNF-F01-1
ACT (Mini)



WNF-F01-2
ATN/0891(Mini)



WNF-F01-3
ATS/0297(Small)



WNF-F01-4
ATC/0287(Medium)



WNF-F02-2
ATN(Mini)



WNF-F02-3
ATS(Small)



WNF-F02-4
ATC(Medium)



WNF-F03-3
ATS(Small)



WNF-F03-4
ATC(Medium)



WNF-F04-1
ATM(Mini)3Pins



WNF-F05-1
ATM(Mini)



WNF-F06-1
ATM Double cable Long Pin (Mini)



PORTABLE MOTORCYCLE USB CAR CHARGING SERIES

Start the motorcycle and charge it with USB
to ensure that your phone remains fully charged



DS001M/A

BMW AL USB
4.2A +V



DS002M

New Foldable USB
2.1+1.2A



DS003M/A

New BMW USB
QC3.0*2+V



DS003M-S/A

New BMW USB
QC3.0*2+V
With Switch



DS004M/A

BMW AL USB
QC3.0+PD3.0



DS005M/A

BMW AL USB
QC3.0+PD3.0



DS006M/A
BMW AL USB
QC3.0+PD3.0+V



DS006M-S/A
BMW AL USB
QC3.0+PD3.0+V
With Switch



DS007M-3.1A(/3.1A)
BMW USB 3.1A



DS016M
Single USB
2.4A
1.8 Meters cable



DS017M
Single USB
2.4A
1.2 Meters Fuse cable



DS018M
Double USB
3.1A
1.8 Meters cable



DS008M
USB with Voltmeter



DS009M
BMW USB
4.2A
Cigar Socket:120W(Max)



DS010M
2.1A*2+V
BMW USB
3.3A



DS019M
Double USB
3.1A
1.5 Meters cable



DS020M01
Double USB
QC3.0+PD3.0+V
1 Meter SAE cable



DS020M02
Double USB
QC3.0+PD3.0+V
1.2 Meters Fuse cable



DS011M
New BMW USB
2.4A*2



DS012M
New BMW USB
2.4A*2+V



DS013M
USB with Voltmeter
2.4A*2+V
1 Meter SAE cable



DS021M01
Double USB
QC3.0*2+V
1 Meter SAE cable



DS021M02
Double USB
QC3.0*2+V
1.2 Meters Fuse cable



DS022M01
Electric Vehicle Motorcycle
23*20*44mm



DS014M
USB with Voltmeter
QC3.0*2+V
1.2 Meters Fuse cable



DS015M01
Double USB
3.1A
1 Meter SAE cable



DS015M02
BMW Plug to USB
3.1A
1.82 Meters cable



DS022M02
Electric Vehicle Motorcycle
With USB



DS023M
1.5A/2.4A With Switch



DS024M
DC12V 120W



DS025M



DS026M



DS027M



DS033M01



DS033M02



DS033M03



DS028M



DS029M



DS030M



DS034M



DS035M



DS036M



DS031M01



DS031M02



DS031M03



DS037M



DS038M



DS039M



DS032M01



DS032M02



DS032M03



DS040M



DS041M



DS26-2013

WATER DROPLET SWITCH WITH DUAL INDICATOR LIGHT ON-OFF



IB-FW01



IB-FW02



IB-FW03



IB-FW04



IB-FW05



IB-FW06



IB-FW07



IB-FD01



IB-FD02



IB-FD03



IB-FD04



IB-FD05

Remote controlled flash lights for cars and motorcycles,
horn activation, and dual control buttons for fog lights modification



IB-FD06



IB-FD08



IB-FD09



IB-FD10



IB-FD11



IB-FD12



IB-FD13



IB-FD14



IB-FD15



IB-FD16



IB-FD17



DS001D
RV Door Lock V4.0
-Upgraded

Material:
Zinc alloy + plastic
Size: 151*118*88mm



DS002D
RV Door Lock

Material: Zinc alloy
Color: Black+White
Keypad membrane



DS003D
RV Door Lock V4.0
-Full Metal Lock

Material: Zinc alloy
+plastic



DS004D
RV Door Lock
-Full Metal Lock
Material: Zinc alloy
Color: Blue+colorful
Keypad membrane



DS005D
C02 RV Door Lock
-Full Metal Lock
Material: Zinc alloy
Color: Grey+colorful
Keypad membrane



DS006D
Keyless Entry
RV Door Lock
Material: Zinc alloy



DS007D
RV Door Lock(IC card
wireless remote control)
Material: Zinc alloy
+ plastic



DS008D
Wireless remote
control switch
66mm*44mm*29mm



DS009D
RV Door Lock with
Fingerprint Unlock



DS010D
RV Lock(Fingerprint
+password)
Material:
ZINC alloy+plastic

- The color of lock/Keypad membrane can be customized.
- The electronic board can be customized to serve different purposes.
- Ergonomic grip design.
- Weatherproof backlit keypad.
- Authentic RV Lock handle.
- Unique key code.
- Silent feature.
- Rust proof.
- 10 minute install.
- Key alike system.

Wide Application



Easy Installation





AUTOMOTIVE BUSBAR SERIES

Ideal for Automotive, Solar and Marine Use
 Anti-Corrosive & Even Consistent Flow
 Keep Your Wires Neatly Organized
 Secure and Safe Connections



WND1001



WND1002



WND1003



WND1004



WND1005



WND1006



WND1007



WND1008



WND1009



WND1010



WND1011



WND1012



WND1013



WND1014



WND1015



WND1016



WND1017



WND1018



WND1019



WND1020



WND1021



WND1022



WND1023



WND1024



Multifunctional Battery Box

EXTERNAL BATTERY PORTS-Safely and easily connect your trolling motor or accessory to the battery ports without opening the box.

DIRECT USB CHARGER AND ACCESSORY PORT-Provides one USB Charger and one 12V accessory port for convenient connection of various DC accessories.



DS001H
75 Battery Box

Material: PP
Product size(L/W/H):423*254*328mm
Capacity size(L/W/H):358*208*208mm
Net weight:1.38Kg



DS002H
12V Battery Box

Size:250*420*330mm
Switch:12-24V
Voltmeter:12-24V
USB:2xUSB QC3.0&2.4AMP
Power socket:12-24V
Anderson interface:100A/50A



DS003H01
12V Battery Box

Size:250*420*330mm
Switch:12-24V
Voltmeter:12-24V
USB:2xUSB QC3.0&2.4AMP
Power socket:12-24V
Anderson interface:100A/50A



DS003H02
12V Battery Box

Size:254.7*452*361mm
Switch:12-24V
USB:2xUSB QC3.0&2.4AMP
Anderson interface:100A/50A



DS004H
Smooth Battery Box

Product size(L/W/H):415*235*320mm
Capacity size(L/W/H):360*205*208mm



DS005H
Smooth Battery Box

Material:PP
Product size(L/W/H):430*252*325mm
Capacity size(L/W/H):356*206*210mm
Net weight:1.64Kg



DS006H
Smooth Battery Box

Material:PP
Product size(L/W/H):465*257*265mm
Capacity size(L/W/H):370*198*201mm
Net weight:1.86Kg



DS007H
Smooth Battery Box

Product size(L/W/H):337*249*265mm
Capacity size(L/W/H):381*193*201mm
Net weight:0.98Kg



DS008H
Smooth Battery Box

Product size(L/W/H):443*253*305mm
Capacity size(L/W/H):380*197*242mm
Net weight:1.28Kg



DS009H
Smooth Battery Box

Product size(L/W/H):430*245*270mm
Capacity size(L/W/H):369*198*209mm
Net weight:1.14Kg



DS001P



DS002P



DS003P



DS004P



DS005P



DS006P



DS007P



DS008P



DS009P01



DS009P02



DS009P03



DS010P



DS011P